

**To:** Wagner, Christine[Wagner.Christine@epa.gov]  
**Cc:** [Nonresponsive based on revised scope @westonsolutions.com]; [Nonresponsive based on revised scope @epa.gov]; [Nonresponsive based on revised scope @epa.gov]  
**From:** [Nonresponsive based on revised scope @epa.gov] D=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817-[Nonresponsive based on revised scope]  
**Sent:** Fri 4/26/2019 5:24:15 PM (UTC)  
**Subject:** Case# 48100, SDG# MC0AM8 - Validated Data for Shiloh Church Road Site

[48100 MC0AM8 ltr.pdf](#)  
[48100 MC0AM8 DVR.pdf](#)  
[48100 MC0AM8 SSR.pdf](#)  
[EQulS 1 48100 MC0AM8 VAL.xls](#)  
[EQulS 2 48100 MC0AM8 VAL.xls](#)  
[EQulS 3 48100 MC0AM8 VAL.xls](#)  
[EQulS 48100 MC0AM8 VAL.xls](#)

Christine Wagner  
US EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 48100, SDG# MC0AM8. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO [Nonresponsive based on revised scope] by phone at 410-305-2607 or e-mail at [Nonresponsive based on revised scope @epa.gov] if additional assistance is needed.

TO # 0002                      TDF # 0319024



Ex. 5 Deliberative Process (DP)

Research Technician | 410-305-3013 | [Nonresponsive based on revised scope @epa.gov]

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350